


| DESIGN | s | DRAWNE | BY | DART AEROSPACE L HAWKESBURY, ONTARIO, CAN | |
|--------|--------|-------------------------|----|--|--------|
| CHECK | ED | APPROVE | # | DRAWING NO. | REV. A |
| DATE | OE 1 | 2.12 | | TITLE SHUT-OFF VALVE ASS'Y | SCALE |
| Α | | <u>Z. 1Z</u> 5.12.12 | | NEW ISSUE | 1:3 |
| Al | CG | 14.20 | 5# | CORRECTED BOM ON PAGE | 2 |



D3469-041 SHUT-OFF VALVE ASS'Y

SECTION A-A

NOTES:

- 1) IDENTIFY WITH DART P/N D3469-041 USING FINE POINT PERMANENT INK MARKER
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010


| -041 | P/N | DESCRIPTION |
|------|-------------|-------------------------|
| X | D3469-041 | SHUT-OFF VALVE ASSEMBLY |
| | | |
| 1 | D3469-043 | TUBE ASSEMBLY |
| 1 | D3470-041 | SHUT-OFF VALVE SHAFT |
| 4 | D3470-5 | BUTTERFLY VALVE |
| 2 | D3470-7 | BUTTERFLY VALVE SEAL |
| 1 | D3470-9 | BOLT |
| | | |
| 1 | AN310-4 | NUT |
| 4 | AN960-4L | WASHER |
| 4 | AN960-416 | WASHER |
| 1 | MS24665-153 | COTTER PIN |
| 4 | MS35206-217 | SCREW |
| 4 | NAS679-A04 | NUT |


COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



| _ | | | | | |
|---|---------|----------|--|--------------|--|
| | DESIGN | DRAWNBY | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | | |
| | CHECKED | APPROVED | DRAWING NO. | REV. A | |
| | THE THE | N | D3469 | SHEET 2 OF 5 | |
| | DATE | | TITLE | SCALE | |
| | 05.1 | 2.12 | SHUT-OFF VALVE ASS'Y | 1:4 | |





D3469-043 TUBE ASSEMBLY

NOTES:


- 1) SPOT WELD PER DART QSI 004
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

| QTY -043 | P/N | DESCRIPTION | |
|-------------|-------------|----------------|--|
| X | D3469-043 | TUBE ASSEMBLY | |
| 2 | D3469-1 | TUBE | |
| 1 | D3469-5 | LOWER PLATE | |
| -4 | D3470 5 | PLATE VALVE A | |
| | | Americanic Ab- | |
| 4 | AN960-C416L | WASHER | |

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.






D3469-1F TUBE FLAT PATTERN


NOTES:

- 1) MATERIAL: AISI 304/316 SS SHEET PER MIL-S-5019 (ANNEALED) 2B FINISH 26 GAUGE SS (0.018 THICK)
 (REF. DART SPEC. M304S26GA)
 2) SPOT WELD PER DART QSI 004
 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
 4) ALL DIMENSIONS ARE IN INCHES
 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

COPYRIGHT © 2005 BY DART AEROSPACE LTD.








D3469-3 UPPER PLATE BENDING DETAIL


NOTES:


- 1) MATERIAL: AISI 304/316 SS SHEET PER MIL-S-5019 (ANNEALED) 2B FINISH 26 GAUGE SS (0.018 THICK) (REF. DART SPEC. M304S26GA) 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 2) TOLERANCES 3) FINISH: NONE
- ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010



COPYRIGHT © 2005 BY DART AEROSPACE LTD.







1) MATERIAL: AISI 304/316 SS SHEET PER MIL-S-5019 (ANNEALED) 2B FINISH 26 GAUGE SS (0.018 THICK) (REF. DART SPEC. M304S26GA)

06.04.03

- SPOT WELD NUT PLATES PER DART QSI 004
- FINISH: NONE
- TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES 6) BREAK ALL SHARP EDGES 0.005 TO 0.010